


sustainable  
stone  
cladding



**MATHIOS**stone®

[mathios.com](http://mathios.com)

Mathios Stone

Artisanal

More than pure geometry and austerity, the new collection is designed to create simple, peaceful and orderly spatial arrangements.

Page 8

- 10** Isola
- s 28** Isola Slim
- 42** Orvilos
- s 50** Cervino
- 58** Arcadian
- 68** Tuscany
- s 80** Orion
- s 86** Orion Special Pieces
- 92** Fieldstone
- s 102** Fieldstone Slim
- 112** Ekali
- s 118** Armorique
- 126** Altaia
- 134** Bretagne
- 144** Alverstone
- 156** Mont Blanc
- 164** Valldemossa
- 172** Terra
- 182** Cordillera
- 192** Rio Grande
- s 198** Aragon
- s 206** Alamo
- s 214** Vermont

Mathios Stone

Contemporary

Mathios Stone Contemporary Collection exemplifies a commitment to simplicity, innovation, and functionality, all while integrating naturally inspired elements.

Page 220

- 222** Tivoli
- s 230** Veracruz
- 238** Highland
- s 252** Sierra
- 264** Atlas
- s 270** Dune
- s 276** Delos
- s 282** Sequoia

Mathios Bricks

Whether you are a time worn style enthusiast or an industrial design lover, discover countless choices to create a unique architectural blend.

Page 290

- s 292** Masterbrick
- 314** Colonial Brick
- s 328** Kerabrick

Jewellery line

Discreet luxury or provocatively extravagant design?

Page 338

Pavers

Accent your landscape and make the impact you dream of with assorted decorative pavers.

Page 344

- 346** Estate
- 356** Country Club
- 366** Forest Whisper
- 368** Garden Step

Accessories

Details that enhance the appearance and functionality of stone installations.

Page 372

Complementary

Products

Superior bonding adhesive & stone protection.

Page 386

Mathios Grout

Create your own stonework with Mathios Grout, selecting among assorted colors, different granulation sizes and various grout techniques.

Page 388

Installation Instructions

Step by step guide for a quick and effective installation.

Page 394

Why Mathios Stone

We are passionate about beautifying and attributing a unique personal character in any external & internal space.

Page 398

Certification

Rest assured. Our products are officially certified and are bound with 30-year warranty.

Page 400



# Mathios Company History

Founded in 1890, Mathios Refractories has developed into one of the biggest production, commercial and construction units of its kind globally and the only one in Greece. The company has a worldwide customer base and a network of partners leading to exports to more than 50 countries, having hence built a significant and solid expertise

## Over 130 years of history

**1890** Founding of the “Mathios Company”. Dimitris Mathios establishes a personal company with the scope of constructing & repairing refractory projects (furnaces, smoke stacks etc.).

**1955** The personal company switches to I. Mathios Bros. LTD active in the industrial refractory construction and the production & trade of refractory materials, contributing to the industrialization of Greece.

**1985** The Company converts to Mathios S.A. The present BoD takes over.

**1990** It begins the production of handmade stone cladding and starts exporting.

**2002** Mathios GmbH & Mathios AD subsidiaries establishment

**2000** IPO in Athens Stock Exchange. Fully automated production plant for architectural stone in Athens, Greece.

**2005** Ideal Refractories company acquisition

**2011** Stone production plant in Bulgaria inauguration

**2019** Sustainability embedded in the core of our strategy & culture.

**2022** Adopting principles of the circular economy in the Refractories production.

**2024** Environmental friendly stone casting using recyclable molds which minimize waste and ecological footprint.



# Environmentally Friendly

Looking at environmental challenges, we, at Mathios Stone, have been long ago dedicated to preserving this world for generations to come. As a leading global producer of architectural stone veneers, we are therefore fully committed towards developing environmentally conscious products.

## DESIGNED WITH PEOPLE & THE ENVIRONMENT IN MIND

We understand very well that developing new stone products should be done responsibly. This is why every new product we design is assessed not only from aesthetic but also from an environmental point of view, taking into consideration not only the material it is made of but most importantly its life-cycle and recycling options. Developing a truly sustainable product however encompasses a lot more than just using eco-materials to produce it.

All our stone products are designed in such a way that they are resource efficient, have an enhanced life-cycle and a 100% recyclability.

## WE INTERRUPT AN OUTDATED HABBIT

While quarry stone is a natural and durable material, the extraction process can have environmental impacts. Although many quarrying operations adhere to relevant regulations and environmental standards to minimize negative consequences, it is quite common to end up in abandoned open quarry pits. These can pose various environmental and safety risks, from accidental falls to local ecosystems disturbance and negatively impacting the scenic quality of the area.

## RESPONSIBLE DEVELOPING, PRODUCING & RESOURCE MANAGEMENT

Because how we produce our products has a direct impact on the environment, we are truly devoted towards making ongoing improvements to our production processes and logistics. To make sure our commitments towards becoming more sustainable are met, we also expect all our suppliers to join us in this journey and make sure that all materials we use are sourced, processed, and produced in an ethical and environmentally friendly way. The materials we use come from companies that are strictly committed to effective management and rehabilitation of quarries as well as sustainability. The aggregates we apply are sediments and natural accumulations. Unlike materials extracted from quarries, sediments and natural accumulations can be considered a renewable resource because are constantly replenished through natural processes like erosion and weathering involving less habitat disruption and ecosystem alteration.

## FOCUS ON RECYCLING & RECYCLED RESOURCES

We give priority to using materials with a good recyclability and make sure that the products we develop maintain their value throughout their whole lifecycle and use recycled materials where possible. All packaging is made of recycled paper and is 100% recyclable. That reflects our promise to responsible environmental stewardship, efficient resource utilization, and the advancement of circular economy principles.

## MATHIOS SMART STONE

Mathios Stone is lightweight (up to 40% lighter than quarry stone) due to advanced technological materials. So, it is easier to handle, transport, and install compared to heavier alternatives, such as quarry stone. This can lead to reduced labor costs and increased efficiency during construction or installation processes. It requires less fuel for transportation, leading to reduced transportation costs and lower carbon emissions.

They come in precut pieces ready to use, ensuring that they fit together seamlessly for a higher aesthetical result. They eliminate the need for on-site cutting and shaping, saving time during the construction process, and reducing labor costs. There is also minimal to no waste generated during the construction process in alliance with sustainable construction practices.

The lightweight nature of Mathios Stone allows for greater flexibility and versatility in design. It can contribute to a reduced structural load on buildings and infrastructure.

Last but not least, it can be applied on various surfaces including thermal insulation systems contributing to the overall energy efficiency of structures. Finally, Mathios Stone has three times lower heat capacity than extracted stone. During the summer, it does not absorb heat and helps maintain a cooler surface, reducing the impact of external heat. In contrast, during the winter, it acts as an insulator retaining heat within a space and potentially lowering the need for additional heating.

## AIR QUALITY, HUMAN HEALTH & ENVIRONMENTAL SUSTAINABILITY

Mathios Stone products do not contain substances harmful to human health and the environment. Being Certified A+ for VOC emissions signifies that Mathios Stone has undergone testing and has demonstrated very low emissions of volatile organic compounds, which are known to contribute to indoor or outdoor air pollution and health problems.

## BEYOND A STANDARD DEVELOPMENT TEAM

We, at Mathios Company, have formed an interdisciplinary team to fulfill our commitment to delivering environmentally conscious products through sustainable production. Designers, engineers, sustainability experts and product developers bring diverse expertise to the table, ensuring that sustainability considerations are embedded in various aspects of the product development process. To further drive innovation and excellence, we partner with academic institutions, leveraging their research capabilities, novel ideas and fresh perspectives.

## SENSIBLE PRODUCTION & INTELLIGENT LOGISTICS

Resourceful manufacturing is only half the way. Aiming to minimize our carbon footprint, we continuously invest in using renewable energy for our manufacturing facilities. We also prioritize optimized palletization to reduce transportation impacts reflecting our mission for efficiency and sustainability in our logistics and supply chain operations.



# Mathios Stone

## Artisanal

### Bridging Tradition with Sustainable Architecture.

Architecture, at its essence, is about connection between materials and environments, between tradition and innovation, and ultimately between past, present, and future. Just as ancient Greek stone bridges represent architectural ingenuity and craftsmanship passed down through generations, the Mathios Stone Artisanal Collection stands as a contemporary bridge, linking traditional masonry artistry to today's sustainable architectural practices.

Each piece within this distinctive collection encapsulates the genuine textures and refined aesthetics of historic European and Greek masonry. At a moment when the heritage of traditional artisanal stonework is under threat of disappearing, Mathios Stone carefully preserves this irreplaceable legacy. Through meticulous craftsmanship and detailed reproduction of authentic patterns, these stones embody the character and depth of historic architecture, keeping alive the delicate art of hand-shaped stone textures and traditional masonry techniques.

Yet, preserving tradition does not mean standing still. Mathios Stone integrates the authenticity and beauty of artisanal designs seamlessly into modern building methods. Manufactured sustainably from natural materials, our collection meets the practical demands of contemporary architecture, providing ease of installation, durability, and exceptional design flexibility.

Choosing Mathios Stone's Artisanal Collection means actively bridging the craftsmanship of yesterday with the innovative, sustainable vision of tomorrow. It is an architectural statement of respect toward heritage, an investment in quality and authenticity, and an expression of timeless beauty reshaped for modern life.



**MATHIOS**stone®  
mathios.com



# Isola

Irregular long combinations of ledge stone create the unique structure of Mathios Stone Isola. Compared only to nature’s resourcefulness, it comes in 10 earthy color combinations matching every space and application allowing you to create a masterpiece of stonework.

## Isola Collection



Isola **Cream**



Isola **Champagne**



Isola **Gold**



Isola **Misty**



### Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                  | Corner                                     |
|-----------------------|--------------------------------------------|
| 50 - 140 mm           | 60 - 150 mm                                |
| 150 - 520 mm          | A side 110 - 130 mm<br>B side 150 - 230 mm |
| 30 - 60 mm            | 30 - 60 mm                                 |
| 24 kg                 | 23 kg                                      |
| 0.43 m² per carton    | 1.35m per carton                           |
| 36 cartons per pallet | 16 cartons per pallet                      |



Isola **Corner**



Scan to view more for Isola



Isola **Four Seasons** 



Isola **Brown** 



Isola **Gray**



Isola **Earth**



Isola **Rusty**



Isola **Black**



Isola  
**Champagne**






Isola  
**Gray**



Isola  
**Misty**





Isola  
**Gold**




Isola  
**Earth**





Isola  
**Rusty**



Isola  
**Black**





Isola  
**Cream**




Classic Stones
















# Isola Slim<sup>S</sup>

Isola Slim has been developed to meet exacting requirements for thinner stone that can be installed on thermal insulation systems, particularly in situations where space constraints are critical. The Slim collection retains the 6 color hues of the original stone while introducing subtle variations in texture.

## Isola Slim Collection



Isola Slim **Cream**



Isola Slim **Champagne**



Isola Slim **Light Gray**



Isola Slim **Bronze**



### Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.

|  | Flat                        | Corner                |
|--|-----------------------------|-----------------------|
|  | 20 - 130 mm                 | 100 mm                |
|  | 50 - 505 mm                 | 110 mm                |
|  | 20 mm                       | 10 - 25 mm            |
|  | 26 kg                       | 18,5 kg               |
|  | 1 m <sup>2</sup> per carton | 2,4m per carton       |
|  | 28 cartons per pallet       | 18 cartons per pallet |



Isola Slim **Olive**



Isola Slim **Rusty**



Scan to view more for Isola slim

## Isola Slim Previous Design Collection<sup>r</sup>



Isola Slim **Light Gray**



Isola Slim **Gold**



Isola Slim **Beige**



Isola Slim **Bronze**



Isola Slim **Olive**



Isola Slim **Rusty**



Isola Slim  
Champagne  
Installation  
guide video




Isola Slim<sup>s</sup>  
**Champagne**





Isola Slim<sup>S</sup>  
**Cream**




Isola Slim<sup>S</sup>  
**Light Gray**





Isola Slim<sup>S</sup>  
**Bronze**



Isola Slim<sup>S</sup>  
**Olive**






Isola Slim<sup>S</sup>  
**Rusty**





**Artisanal** Stones







# Orvilos

The epitome of rustic stone. Orvilos captures the essence of nature’s rugged beauty with its weathered, aged, or rough-hewn appearance. Its irregular shapes, textured surfaces, and earthy tones evoke a profound sense of authenticity, warmth, and charm. Whether adorning exterior facades, accentuating interior spaces, or enhancing landscaping features, Orvilos by Mathios Stone infuses environments with a distinct character and a connection to the natural world, creating spaces that feel both cozy and captivating.

Rough Texture



| Flat                             | Corner                                     |
|----------------------------------|--------------------------------------------|
| 10 - 175 mm                      | 6 - 125 mm                                 |
| 40 - 545 mm                      | A side 195 - 335 mm<br>B side 100 - 220 mm |
| 15 - 65 mm                       | 20 - 54 mm                                 |
| 40 kg                            | 37 kg                                      |
| 0.8 m <sup>2</sup><br>per carton | 1.6 m<br>per carton                        |
| 20 cartons<br>per pallet         | 20 cartons<br>per pallet                   |



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from  
-30 to +60 degrees Celsius, Frost, UV,  
Different humidity levels, Water.

## Orvilos



Orvilos **Misty**




Orvilos **Misty** (with Mathios Grout)



Scan to view more  
for Orvilos



Orvilos  
**Misty**





Orvilos  
**Misty**









# Cervino<sup>S</sup>

Cervino with different-sized stones in earthy tones creates a fascinating interplay of textures and colors, blending seamlessly into indoor and outdoor spaces. It harmoniously merges natural beauty with modern design, transforming your surroundings into an aesthetic masterpiece.

Cervino, a truly unique stone, is available in two captivating colors: White and Ivory.

Champagne offers various earthy shades for a warm, rustic feel, while White consists of pure white stones for elegance and timelessness.

Mild Texture



| Flat                     | Corner                   |
|--------------------------|--------------------------|
| Irregular<br>15 - 215 mm | Irregular                |
| Irregular<br>80 - 265 mm | Irregular                |
| 7 - 25 mm                | 10 - 24 mm               |
| 25 kg                    | 20 kg                    |
| 1.15 m²<br>per carton    | 2.9 m<br>per carton      |
| 28 cartons<br>per pallet | 21 cartons<br>per pallet |



Cervino **Corner**



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more for Cervino

## Cervino Collection




Cervino **Ivory**



Cervino **White**



Cervino <sup>S</sup>  
**Ivory**



Cervino <sup>S</sup>  
**White**








Cervino White





Artisanal Stones



Cervino Ivory



# Arcadian

Arcadian is a hymn to rustic beauty. Random stones of various sizes and earthy tones bring a little taste of the serenity and beauty of the Mediterranean region. Create a unique provincial style façade or eye catching exterior walls. Alternatively combine it with industrial elements and create dynamic interiors with interesting contrast.



**Weather Conditions**

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                     | Corner A                 | Corner B                 |
|--------------------------|--------------------------|--------------------------|
| Irregular<br>35 – 240 mm | 200 mm                   | Irregular                |
| Irregular<br>80 – 335 mm | 120 –260 mm              | Irregular                |
| 15 – 45 mm               | 25 – 45 mm               | 18-20 mm                 |
| 24 kg                    | 22 kg                    | 18 kg                    |
| 0.65 m²<br>per carton    | 1.1 m<br>per carton      | 2.8m<br>per carton       |
| 32 cartons<br>per pallet | 16 cartons<br>per pallet | 16 cartons<br>per pallet |



Scan to view more for Arcadian



Arcadian **Corner A**



Arcadian **Corner B**

## Arcadian Collection




Arcadian **Taupe**



Arcadian **White**



Arcadian  
**Taupe**





Arcadian  
**White**







Mild Texture

Arcadian **Taupe**



Artisanal Stones



Arcadian **Taupe**





Artisanal Stones



Arcadian **Taupe**



# Tuscany

Mathios Stone Tuscany is the quintessential of rustic design. Inspired by the unique landscape of the beloved Italian region, this cultured stone collection combines chic design with timeless majesty.



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                  | Corner                                   |
|-----------------------|------------------------------------------|
| 55 - 225 mm           | 160 - 310 mm                             |
| 95 - 465 mm           | A side 70 - 80 mm<br>B side 110 - 180 mm |
| 20 - 30 mm (average)  | 30 - 35 mm (average)                     |
| 24 kg                 | 22 kg                                    |
| 0.61 m² per carton    | 1.65m per carton                         |
| 32 cartons per pallet | 16 cartons per pallet                    |



Scan to view more for Tuscany



Tuscany **Corner**

## Tuscany Collection

Mild Texture



Tuscany **White**



Tuscany **Cream** r



Tuscany **Champagne**



Tuscany **Four Seasons** r



Tuscany **Brown**



Tuscany **Earth**



Tuscany **Gray**



Tuscany **Lava** r



Tuscany <sup>S</sup>  
Gray





Tuscany <sup>S</sup>  
**White**



Tuscany <sup>S</sup>  
**Champagne**






Tuscany <sup>S</sup>  
**Earth**



Tuscany <sup>S</sup>  
**Brown**







Mild Texture







Artisanal Stones

Tuscany **Champagne**



# Orion<sup>S</sup>

Orion by Mathios Stone is designed to interlock easily allowing for a straightforward and seamless installation process. Each piece has edges that are cut in a specific pattern to fit neatly with the adjacent pieces. This eliminates gaps and creates a cohesive and continuous appearance. Orion is a unique and innovative type of stone that simplifies the installation process while enhances the aesthetic appeal of each space.

Mild Texture



**Flat Big**

550 mm

550 mm

20 - 25 mm

7 kg

**Flat Small**

275 mm

275 mm

20 - 25 mm

1.8 kg

**Corner**

250 mm

200 mm

20 - 25 mm



2 kg



Large Piece



Small Piece



**Weather Conditions**

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.




Scan to view more for Orion

## Orion



Orion Sand



Easy puzzle installation



Orion Corner









Artisanal Stones





# Orion<sup>S</sup> Special Pieces

Irregular stones with spiked edges compose the Mathios Stone Orion Special Pieces. Ideal for provincial areas and why not, for those who dare to bring natural style inside the city.

Mild Texture



Orion Special Pieces  
Corner



| Flat                             | Corner                           |
|----------------------------------|----------------------------------|
| Irregular<br>75 - 375 mm         | Irregular                        |
| Irregular<br>75 - 375 mm         | Irregular                        |
| 18-20 mm                         | 18-20 mm                         |
| 25 kg                            | 18 kg                            |
| 1.1 m <sup>2</sup><br>per carton | 2.9 m <sup>2</sup><br>per carton |
| 32 cartons<br>per pallet         | 16 cartons<br>per pallet         |



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from  
-30 to +60 degrees Celsius, Frost, UV,  
Different humidity levels, Water.



Scan to view more for  
Orion Special Pieces



Orion Special Pieces







Orion **Special Pieces**



# Fieldstone

Irregular stones with spiked edges compose the Mathios Stone Fieldstone collection. Ideal for provincial areas and why not, for those who dare to bring natural style inside the city.



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                     |
|--------------------------|
| Irregular<br>75 – 375 mm |
| Irregular<br>75 – 375 mm |
| 20 – 45 mm               |
| 24 kg                    |
| 0.55 m²<br>per carton    |
| 32 cartons<br>per pallet |

| Corner                                     |
|--------------------------------------------|
| 150 – 215 mm                               |
| A side 100 – 120 mm<br>B side 155 – 230 mm |
| 15 – 34 mm                                 |
| 22 kg                                      |
| 1.35m<br>per carton                        |
| 16 cartons<br>per pallet                   |



Scan to view more for Fieldstone

## Fieldstone Collection



Fieldstone **White**



Fieldstone **Cream** 



Fieldstone **Champagne**



Fieldstone **Earth**



Fieldstone **Corner**



Fieldstone **Volcanic**



Fieldstone **Brown** 



Fieldstone **Four Seasons** 




Fieldstone **Light Gray**



Fieldstone **Gray** 



Fieldstone  
**Champagne**





Fieldstone  
**White**



Fieldstone  
**Earth**





Fieldstone  
**Light Gray**



Fieldstone  
**Volcanic**







Fieldstone **Volcanic**



Fieldstone **Cream**



Fieldstone **Gray**

**Artisanal** Stones



Fieldstone **Custom Color**



# Fieldstone Slim<sup>S</sup>

Fieldstone Collection is also available in thinner dimensions offering solutions for specific design challenges, such as thermal insulation systems and narrow rooms. For all those who seek to incorporate natural beauty and style into their living spaces, where weight or thickness constraints apply, Fieldstone Slim is a versatile and practical option.

## Fieldstone Slim Collection



Fieldstone Slim **White**



Fieldstone Slim **Sand**



Fieldstone Slim **Champagne**



Fieldstone Slim **Beige** <sup>r</sup>



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                             | Corner                           |
|----------------------------------|----------------------------------|
| Irregular<br>75 - 375 mm         | Irregular                        |
| Irregular<br>75 - 375 mm         | Irregular                        |
| 18-20 mm                         | 18-20 mm                         |
| 25 kg                            | 18 kg                            |
| 1.1 m <sup>2</sup><br>per carton | 2.9 m <sup>2</sup><br>per carton |
| 32 cartons<br>per pallet         | 16 cartons<br>per pallet         |



Fieldstone Slim **Corner**



Fieldstone Slim **Volcanic**



Fieldstone Slim **Bronze** <sup>r</sup>



Fieldstone Slim **Earth**



Fieldstone Slim **Light Gray**



Fieldstone Slim **Olive** <sup>r</sup>



**Scan** to view more  
for Fieldstone Slim



Fieldstone Slim<sup>S</sup>  
**White**



Fieldstone Slim<sup>S</sup>  
**Volcanic**





Fieldstone Slim<sup>s</sup>  
**Champagne**



Fieldstone Slim<sup>s</sup>  
**Earth**





Fieldstone Slim<sup>s</sup>  
**Light Gray**



Fieldstone Slim<sup>s</sup>  
**Sand**









# Ekali

Irregular but sophisticated. Mathios Stone Ekali reflects the beauty of a sunlit countryside and the nobility of the past. In three light earthy hues, Ekali collection fits well in suburban houses, vacation residences and chateaus.

## Ekali Collection



Ekali **White**



Ekali **Cream** 



Ekali **Champagne**



Ekali **Four Seasons** 



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                     | Corner                       |
|--------------------------|------------------------------|
| Irregular<br>75 – 375 mm | 150 – 215 mm                 |
| Irregular<br>75 – 375 mm | 155 – 230 mm<br>100 – 120 mm |
| 20 – 45 mm               | 15 – 34 mm                   |
| 24 kg                    | 22 kg                        |
| 0.6 m²<br>per carton     | 1.35m<br>per carton          |
| 32 cartons<br>per pallet | 16 cartons<br>per pallet     |



Ekali **Brown** 



**Scan** to view  
more for Ekali



Ekali **Corner**



Ekali  
**White**



Ekali  
**Champagne**







Mild Texture

Artisanal Stones





# Armorique<sup>S</sup>

Mathios Stone Armorique has been crafted to bridge the aesthetics of brick and stone. This versatile option seamlessly combines the timeless charm of traditional construction with the sleek aesthetics of modern architecture. Whether used indoors or outdoors, Mathios Stone Armorique offers a perfect fusion of rustic allure and contemporary elegance, making it an ideal choice for a wide range of construction projects.



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Armorique

|  | Flat                  | Corner                |
|--|-----------------------|-----------------------|
|  | 30-90 mm              | 40-95 mm              |
|  | 120-360 mm            | 160-300 mm            |
|  | 18-25 mm              | 18-20 mm              |
|  | 25 kg                 | 16 kg                 |
|  | 1.15 m² per carton    | 2.8 m per carton      |
|  | 28 cartons per pallet | 21 cartons per pallet |

## Armorique Collection

Mild Texture



Armorique **White**



Armorique **Champagne**



Armorique **Bronze** <sup>r</sup>



Armorique **Beige** <sup>r</sup>



Armorique **Gray**



Armorique **Olive** <sup>r</sup>



Armorique **Corner**



Armorique<sup>S</sup>  
**White**





Armorique<sup>S</sup>  
Champagne



Armorique<sup>S</sup>  
Gray









# Altaia

Rectangular and proportioned, Mathios Stone Altaia consists of clear-cut stone pieces that facilitate attainability and reduces installation time. In color hues ranging from cream to dark gray, it can dress exterior surfaces and accent interior details.

## Altaia Collection



Altaia **Cream**



Altaia **Champagne**



Altaia **Amber** r



Altaia **Earth** r



### Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



#### Flat

100 – 200 mm

200 – 500 mm

20 – 43 mm

24 kg

0.6 m<sup>2</sup>  
per carton

36 cartons  
per pallet

#### Corner

100 mm

110 – 200 mm

20 – 43 mm

20 kg

1.6 m<sup>2</sup>  
per carton

18 cartons  
per pallet



Altaia **Lava**



Altaia **Corner**



Scan to view more for Altaia



Altaia  
**Lava**





Altaia  
**Cream**



Altaia  
**Champagne**









Artisanal Stones



# Bretagne

An exceptionally dense collection of rectangular dry stack forms strike the perfect balance between traditional and contemporary style. Available in color tones from earthy beige to slate hues, Bretagne matches every design taste.

Rough Texture

|                                                                                       | Flat                     | Corner                                   |
|---------------------------------------------------------------------------------------|--------------------------|------------------------------------------|
|  | 25 - 160 mm              | 50 - 140 mm                              |
|  | 120 - 530 mm             | A side 40 - 95 mm<br>B side 110 - 200 mm |
|  | 30 - 60 mm               | 35 - 70 mm                               |
|  | 24 kg                    | 22 kg                                    |
|  | 0.6 m²<br>per carton     | 1.35m<br>per carton                      |
|  | 36 cartons<br>per pallet | 16 cartons<br>per pallet                 |



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from  
-30 to +60 degrees Celsius, Frost, UV,  
Different humidity levels, Water.



Scan to view more  
for Bretagne



Bretagne **Corner**

Bretagne Collection



Bretagne **Gray**



Bretagne **Amber** 



Bretagne **Dusk** 



Bretagne **Rusty**



Bretagne  
**Gray**



Bretagne  
**Rusty**







Bretagne Rusty

Rough Texture

Bretagne **Rusty**



Bretagne **Rusty**



Rough Texture

Bretagne **Dusk**





Rough Texture

Artisanal Stones





# Alverstone

Alverstone is composed of z-shaped pieces that match together and can fully cover internal and external corners. Its revolutionary design facilitates quick and easy installation & makes it extremely cost-effective.



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Flat**  
100 - 200 mm



240 - 480 mm



35 mm



25 kg



0.72 m<sup>2</sup>  
per carton



36 cartons  
per pallet



**Scan** to view more  
for Alverstone

## Alverstone Collection

Mild Texture



Alverstone **Champagne**



Alverstone **Olive**



Alverstone **Gray**



Alverstone **Brown**



Alverstone **Lava**



No need for corners



Alverstone  
Lava  
Installation  
guide video



Mild Texture

Alverstone  
**Lava**





Alverstone  
**Champagne**




Alverstone  
**Brown**





Alverstone  
**Gray**



Alverstone  
**Olive**





Alverstone **Lava**



Mild Texture

Artisanal Stones



Alverstone **Brown**





Alverstone **Brown**



Alverstone **Champagne**



Alverstone **Gray**



Mild Texture



# Mont Blanc

An emblematic and vigorous stone.  
Handcrafted to catch the sunlight and play a light and shadows game. Ideal for exterior constructions and for attributing bold character to interior design.

Mild Texture



| Flat                     | Corner                         |
|--------------------------|--------------------------------|
| 200 mm                   | 200 mm                         |
| 500 mm                   | A side 120 mm<br>B side 260 mm |
| 20 - 43 mm               | 25 - 45 mm                     |
| 24 kg                    | 20 kg                          |
| 0.53 m²<br>per carton    | 1.04 m<br>per carton           |
| 36 cartons<br>per pallet | 18 cartons<br>per pallet       |



Mont Blanc **Corner**



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more  
for Mont Blanc

# Mont Blanc

## Mont Blanc Collection



Mont Blanc **Cream**



Mont Blanc **Champagne**



Mont Blanc **Silver**




Mont Blanc **Gray** 



Mont Blanc  
**Cream**







Mont Blanc  
**Champagne**



Mont Blanc  
**Silver**



Mont Blanc Cream



Mild Texture

Mont Blanc Silver











# Valldemossa

Inspired by the homonymous village, Valldemossa by Mathios Stone exhibits a warm, earthy color palette with varying shades of tan and grey. Add a touch of Mediterranean charm and elegance to any architectural design, whether used in traditional or contemporary settings. Prized for its unique aesthetic appeal, versatility, and durability, Valldemossa is a timeless and sophisticated choice for architectural and design projects.

Its durability and versatility, make it suitable for a wide range of applications, including exterior cladding, landscaping, interior accents, and fireplace surrounds.

Mild Texture

|                                                                                       | Flat                  | Corner                                    |
|---------------------------------------------------------------------------------------|-----------------------|-------------------------------------------|
|  | 40 - 170 mm           | 73 - 103 mm                               |
|  | 105 - 470 mm          | A side 70 - 120 mm<br>B side 160 - 175 mm |
|  | 17 - 32 mm            | 18 - 27 mm                                |
|  | 25 kg                 | 16 kg                                     |
|  | 1 m² per carton       | 2.4 m² per carton                         |
|  | 28 cartons per pallet | 18 cartons per pallet                     |



Valldemossa **Corner**



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Valldemossa

## Valldemossa Collection



Valldemossa **Gray**



Valldemossa **Earth**



Valldemossa  
**Earth**



Valldemossa  
**Gray**







Valldemossa **Gray**



**Artisanal** Stones







Mild Texture











# Terra

Coarse and rocky with textural irregular pieces of stones. Mathios Stone Terra creates expressive rustic environments while matches harmoniously with minimal style as well.

Rough Texture

|                                                                                       | Flat                     | Corner                                     |
|---------------------------------------------------------------------------------------|--------------------------|--------------------------------------------|
|  | Irregular<br>140-550 mm  | 100 – 140 mm                               |
|  | Irregular<br>140-550 mm  | A side 140 – 180 mm<br>B side 120 – 400 mm |
|  | 15 – 70 mm               | 15 – 65 mm                                 |
|  | 24 kg                    | 22 kg                                      |
|  | 0.55 m²<br>per carton    | 1.25m<br>per carton                        |
|  | 32 cartons<br>per pallet | 12 cartons<br>per pallet                   |



Terra **Corner**



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from  
-30 to +60 degrees Celsius, Frost, UV,  
Different humidity levels, Water.



Scan to view  
more for Terra

## Terra Collection



Terra **Cream**



Terra **Brown**



Terra **Gray**



Terra  
**Cream**





Terra  
**Gray**



Terra  
**Brown**







Rough Texture

Artisanal Stones





Terra **Cream**



Rough Texture



Terra **Brown**



# Cordillera

Crude and compelling, the Cordillera collection stimulates your senses. Highly textured in light and vivid earthy tones, it's a one-of-a-kind architectural stone veneer for those who desire to create a striking design that stands out and makes others wonder.

Cordillera Collection



Cordillera **Beige** 



Cordillera **Champagne**



Cordillera **Earth** 



Cordillera **Gray**



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                  | Corner                |
|-----------------------|-----------------------|
| 100 mm                | 100 mm                |
| 220/315/535 mm        | 120 mm<br>220 mm      |
| 20 - 55 mm            | 25 - 55 mm            |
| 36 kg                 | 20 kg                 |
| 0.76 m² per carton    | 2 m per carton        |
| 24 cartons per pallet | 18 cartons per pallet |



**Scan** to view more for Cordillera

Rough Texture



Cordillera **Lava**



Cordillera **Corner**



Cordillera  
**Champagne**





Cordillera  
**Lava**



Cordillera  
**Gray**







Cordillera **Gray**

Rough Texture



Cordillera **Lava**





Rough Texture

Cordillera **Champagne**





# Rio Grande

Mathios Stone Rio Grande is a river rock patchwork of water worn pebbles. Every single element of the composition has been carefully selected and replicated to reflect nature’s tranquility and rustic elegance.

Smooth Texture



Rio Grande **Corner**



| Flat                     | Corner                   |
|--------------------------|--------------------------|
| Irregular<br>140 - 550mm | Irregular                |
| Irregular<br>140 - 550mm | Irregular                |
| 35 - 45 mm               | 35 - 45 mm               |
| 24 kg                    | 22 kg                    |
| 0.62 m²<br>per carton    | 1.6 m<br>per carton      |
| 32 cartons<br>per pallet | 16 cartons<br>per pallet |



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from  
-30 to +60 degrees Celsius, Frost, UV,  
Different humidity levels, Water.



Scan to view more  
for Rio Grande

# Grande

Rio Grande Collection



Rio Grande **Silver**



Rio Grande **Earth**



Rio Grande **Gray**



Rio Grande  
**Silver**







Smooth Texture



# Aragon<sup>S</sup>

The Aragon series is meticulously designed to enhance both external and internal walls, seamlessly integrating with joints to deliver exceptional results. With its captivating aesthetics and practical design, Aragon is available in three subtle colors and embodies the perfect fusion of style and functionality.

Aragon Collection

Mild Texture



Aragon **Amber**



Aragon **Beige** <sup>r</sup>



Aragon **Bronze**



Aragon **Olive**



**Weather Conditions**

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Flat**

40-90 mm



120-480 mm



18-20 mm



21.5 kg



1.3 m<sup>2</sup>  
per carton



28 cartons  
per pallet

**Corner**

40-95 mm

160-300 mm

18-20 mm

16 kg

2.9 m<sup>2</sup>  
per carton

21 cartons  
per pallet



Aragon **Gray**



**Scan** to view more  
for Aragon




Aragon **Corner**









Aragon <sup>S</sup>  
Gray

Aragon <sup>S</sup>  
Olive









# Alamo<sup>S</sup>

Rectangular-shaped stone with moderate texture. Available in champagne and gray tint, Mathios Stone Alamo adorns some of the most famous projects in the world.

Alamo Collection



Alamo **Champagne**



Alamo **Gray**

Smooth Texture



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                              | Corner                   |
|-----------------------------------|--------------------------|
| 55 - 250 mm                       | 100 - 250 mm             |
| 50 - 350 mm                       | 100 mm<br>150 - 200 mm   |
| 20-37 mm                          | 30 mm                    |
| 24 kg                             | 18 kg                    |
| 0.63 m <sup>2</sup><br>per carton | 1.6 m<br>per carton      |
| 28 cartons<br>per pallet          | 21 cartons<br>per pallet |



Scan to view more for Alamo



Alamo **Corner**













Smooth Texture





# Vermont<sup>S</sup>

Simple yet sophisticated, Vermont by Mathios Stone is tailored for individuals who appreciate the inviting warmth of stone with a touch of understated elegance.

Rough Texture



- Flat**
- 90 - 180 mm
- 225 - 450 mm
- 18-30 mm
- 28 kg
- 0.65 m<sup>2</sup> per carton
- 36 cartons per pallet



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more for Vermont

## Vermont Collection



Vermont **Beige**



Vermont **Bronze** <sup>r</sup>



Vermont **Gold** <sup>r</sup>









Rough Texture





## Mathios Stone Contemporary

Mathios Stone Contemporary Collection exemplifies a commitment to simplicity, innovation, and functionality, all while integrating naturally inspired elements. Neutral colors such as white, gray, beige, and black create a sense of calmness and sophistication. Combining different stone types, colors, or finishes can create striking visual contrasts that add depth and interest to a space, while maintaining balance in the design.

Mathios Stone Contemporary line integrates seamlessly with other materials such as glass, metal, or wood. This interplay of materials enhances the overall aesthetic and allows for creative expression. This blend of modernity and natural beauty ensures that your designs resonate with a wide range of tastes and preferences, offering versatility and enduring elegance to your projects.



**MATHIOS**stone®  
mathios.com



# Tivoli<sup>S</sup>

Tivoli has been inspired by the famous travertine stone, largely selected by Italian sculptors like Bernini and Michelangelo and used for Roman monuments, aqueducts and amphitheatres like the legendary Colosseum.

Mathios Stone Tivoli combines the famous texture with the advantages of the architectural stone. It is ideally used for façades and wall cladding and creates appealing look when combined with metal and glass.

Smooth Texture



| Flat                     | Corner                        |
|--------------------------|-------------------------------|
| 250 mm                   | 250 mm                        |
| 535 mm                   | A side 82 mm<br>B side 182 mm |
| 30 mm                    | 25 mm                         |
| 32 kg                    | 25 kg                         |
| 0.79 m²<br>per carton    | 3 m<br>per carton             |
| 28 cartons<br>per pallet | 21 cartons<br>per pallet      |

Contemporary Stones



Tivoli **Corner**



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.

## Tivoli Collection



Tivoli **Gray**



Tivoli **Beige**

Sustainable Stone Cladding - **Smooth Texture**



**Scan** to view more for Tivoli















Tivoli **Gray**



Tivoli **Beige**

Tivoli **Gray**





# Veracruz<sup>S</sup>

Bring the summer breeze in your space. Sea-worn coral fossils sculpt Mathios Stone Veracruz and create an exceptional surface texture. It beautifully complements exterior walls or embellishes interior accents.

Smooth Texture



- Flat
- 75 - 245 mm
- 75 - 415 mm
- 30 mm
- 24 kg
- 0.72 m<sup>2</sup> per carton
- 28 cartons per pallet



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Veracruz

## Veracruz Collection



Veracruz **Cream**



Veracruz **Champagne**



Veracruz **Gray**



Veracruz<sup>s</sup>  
**Cream**







Veracruz<sup>S</sup>  
**Champagne**

Veracruz<sup>S</sup>  
**Gray**







Smooth Texture



# Highland

Named after the historic region of Scotland, this linear dry stack collection effortlessly accommodates traditional and contemporary style. Mathios Stone Highland comes in seven color palettes ranging from cream and earthy tones to absolute black. Maybe it is the richest stone range matching a plethora of architectural styles.

## Highland Collection



Highland **White**



Highland **Cream**



Highland **Silver**



Highland **Earth** r



### Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



#### Flat

100 mm



200 – 500 mm



15 – 35 mm



24 kg



0.65 m<sup>2</sup>  
per carton



36 cartons  
per pallet

#### Corner

100 mm

A side 125 mm  
B side 225 mm

35 – 38 mm

20 kg

1.6m  
per carton

18 cartons  
per pallet



Highland **Corner**



Highland **Black** r



Scan to view  
more for Highland

Mild Texture



240

# Highland Accessories

The Mathios Stone Highland Blend has been thoughtfully crafted by incorporating elements and tones from the Mathios Stone Highland Collection. These two collections are fully compatible and can be beautifully combined to create a seamless, natural look. The distinctive stone pieces of each series complement one another, offering a bold, robust aesthetic with rich texture and character.

Mild Texture



Highland Blend **Cream** Highland Blend **Silver** Highland Blend **Earth** Highland Blend **Gold**



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Highland + Highland Blend



Highland Blend **Rusty** Highland Blend **Corner**



Scan to view more for Highland


|  | Flat                          | Corner                |
|--|-------------------------------|-----------------------|
|  | 200 mm                        | 200 mm                |
|  | 500 mm                        | 140 – 260 mm          |
|  | 30 – 35 mm                    | 35 mm                 |
|  | 24 kg                         | 20 kg                 |
|  | 0.6 m <sup>2</sup> per carton | 1.6m per carton       |
|  | 36 cartons per pallet         | 18 cartons per pallet |



Highland  
**White**



Highland  
**Cream**









Highland  
**Silver**

Highland  
**Gold**








Highland  
**Gray**

Highland  
**Lava**





Highland **Lava**



Mild Texture

Artisanal Stones

Highland **Lava**







Highland **Gray**

Artisanal Stones





# Sierra<sup>S</sup>

Mathios Stone Sierra collection has the slimmest profile. It has been designed as an ecological solution for energy efficient constructions. Due to its innovative light weight, it can be installed on polystyrene insulation systems. With an average thickness of 15mm (0,59 inch), it facilitates internal application even in very tight rooms.

## Sierra Collection




Sierra **White**



Sierra **Cream**



Sierra **Earth** <sup>r</sup>



Sierra **Amber** <sup>r</sup>



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



| Flat                           | Corner                                   |
|--------------------------------|------------------------------------------|
| 100 mm                         | 100 mm                                   |
| 200 - 350 mm                   | A side 85 - 90 mm<br>B side 165 - 170 mm |
| 18 - 25 mm                     | 10 - 25 mm                               |
| 26.5 kg                        | 18.5 kg                                  |
| 1.05 m <sup>2</sup> per carton | 2.4 m <sup>2</sup> per carton            |
| 36 cartons per pallet          | 18 cartons per pallet                    |



Scan to view more for Sierra



Sierra **Gray**



Sierra **Black** <sup>r</sup>



Sierra **Gold**



Sierra **Olive**




Sierra **Silver Gray**



Sierra **Rusty** <sup>r</sup>



Sierra<sup>S</sup>  
White



Sierra<sup>S</sup>  
Cream





Sierra<sup>S</sup>  
**Silver Gray**



Sierra<sup>S</sup>  
**Gold**





Sierra<sup>S</sup>  
**Olive**



Sierra<sup>S</sup>  
**Gray**











Smooth Texture



Sierra **Custom Color**



Sierra **Custom Color**









Sierra **Cream**



# Atlas

Durable & solid according to Greek Mythology, Atlas was the Titan condemned by Zeus to support celestial spheres upon its shoulders. That robust and compact look can be achieved by Mathios Stone Atlas Collection, either indoor or outdoor.

Mild Texture

-  Flat 80 mm
-  230 mm
-  15 - 45 mm
-  24 kg
-  0.62 m² per carton
-  28 cartons per pallet



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Atlas

## Atlas Collection



Atlas **White**



Atlas **Beige** 



Atlas **Gray**



Atlas **Black** 



Atlas  
**Gray**



Atlas  
**White**







Contemporary Stones










# Dune

Alike a hill of sand piled up by the wind, Mathios Stone Dune Collection creates a kind of motion in your space. A strange combination of dynamism and tranquility together.

Mild Texture

-  125 mm
-  530 mm
-  10 – 23 mm
-  27 kg
-  1.06m² per carton
-  28 cartons per pallet



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Dune

## Dune Collection



Dune **White**



Dune **Beige** 



Dune **Gray** 



Dune **Black**



Dune <sup>s</sup>  
White



Dune <sup>s</sup>  
Black





Dune **White**



Applications 275



Dune **Gray**



# Delos

S

Inspired by the mosaics found in the excavations in Delos Island, one of the most important mythological, historical and archeological sites in Greece, we created Mathios Stone Delos texture. Composed by embossed rectangular pieces, Delos creates a geometric, yet harmonial style in your space.

Rough Texture

|                                                                                       |                       |
|---------------------------------------------------------------------------------------|-----------------------|
|  | Flat                  |
|  | 125 mm                |
|  | 250 - 280 mm          |
|  | 8 - 23 mm             |
|  | 27 kg                 |
|  | 1.06m² per carton     |
|  | 28 cartons per pallet |



Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Delos

## Delos Collection



Delos **White**



Delos **Beige** 



Delos **Gray** 




Delos **Black**



Delos<sup>s</sup>  
**White**



Delos<sup>s</sup>  
**Black**





Delos **Black**Delos **Gray**Delos **Beige**



# Sequoia

Create the warm effect of wood, while retaining the positive features of the architectural stone, such as robustness, durability, resistance to weather conditions, ease of installation and no maintenance needs. Mathios Stone Sequoia comes in six wood look nuances and can be placed either horizontally or in herringbone pattern.

## Sequoia Collection

Smooth Texture



Sequoia **White** r



Sequoia **Beige** r



Sequoia **Gray** r



Sequoia **Oak** r



### Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



### Flat

125 mm



530 mm



18 mm



27 kg



1.06m<sup>2</sup>  
per carton



28 cartons  
per pallet



Sequoia **Bette** r



Sequoia **Wenge** r



Scan to view  
more for Sequoia




Sequoia<sup>s</sup>  
**Oak**





Sequoia<sup>s</sup>  
**Beige**



Sequoia<sup>s</sup>  
**Bette**









# Mathios Bricks

Whether you're a connoisseur of time-worn aesthetics or a devoted industrial design aficionado, the world of brick offers an abundance of opportunities to craft a distinctive architectural fusion. Bricks, with their enduring charm and versatile nature, serve as the canvas upon which you can paint the story of a space, blending tradition with innovation.

From rustic red bricks reminiscent of a bygone era to sleek, minimalist gray bricks that evoke an urban, contemporary vibe, your choice of bricks can set the tone for your architectural masterpiece. The possibilities are endless, and the design journey is an exciting one, as you explore the myriad textures, colors, and patterns that bricks can offer.

- 292 Masterbrick
- 314 Colonial brick
- 328 Kerabrick

# Timeless Design



292

# Masterbrick<sup>S</sup>

Mathios Stone Masterbrick collection is the definition of brick profile. With slightly squared edges and time worn color nuances, it can complement the whole building façade or achieve industrial interior design. A rich color palette that satisfies even the most demanding taste. Combine with Mathios Grout various options and create a unique design blend.



Weather Conditions

Applicable on Internal & External spaces. Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.

## Masterbrick Collection



Masterbrick **White**



Masterbrick **White Grained**



Masterbrick **Dusk**



Masterbrick **Amber**



Scan to view more for Masterbricks

|  | Flat                  | Corner                         |
|--|-----------------------|--------------------------------|
|  | 60 mm                 | 63 mm                          |
|  | 220 – 240 mm          | A side 120 mm<br>B side 230 mm |
|  | 10 – 15 mm            | 12 – 16 mm                     |
|  | 18 kg per carton      | 11 kg per carton               |
|  | 1.11 m² per carton    | 2.15 m² per carton             |
|  | 48 cartons per pallet | 24 cartons per pallet          |



Masterbrick **Corner**



Masterbrick **Aged Red**



Masterbrick **Keramos**



Masterbrick **Khaki**



Masterbrick **Foggy** <sup>r</sup>



Masterbrick **Red Tarnished** <sup>r</sup>



Masterbrick **Dark Red**



Masterbrick **Brown**




Masterbrick **Gray**




Masterbrick **Black**



Masterbrick<sup>S</sup>  
**Amber**




Masterbrick<sup>S</sup>  
**Keramos**





Masterbrick<sup>S</sup>  
**Dusk**




Masterbrick<sup>S</sup>  
**Khaki**






Masterbrick<sup>S</sup>  
**Aged Red**



Masterbrick<sup>S</sup>  
**Dark Red**





Masterbrick<sup>S</sup>  
**Gray**



Masterbrick<sup>S</sup>  
**White Grained**





Masterbrick<sup>S</sup>  
**White**



Masterbrick<sup>S</sup>  
**Brown**










Masterbrick **White Grained**Masterbrick **Dusk**



Masterbrick  
**Amber**



Masterbrick **Gray - White**



Masterbrick **Keramos**



Masterbrick **Dark Red**



Masterbrick **Dark Red**



Masterbrick **Dusk**

**Brick** Stones

Masterbrick **Aged Red**







Masterbrick **Brown**

**Brick** Stones



# Colonial Brick

Long linear pieces with soft, rounded edges compose the Colonial Brick Collection. The thickness of the bricks allow you to explore various grouting styles. Try wide joint with a deep rake finish and highlight each brick individually or grout in the same level of the brick for smoother results.



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more for Colonial Bricks

## Colonial Brick Collection



Colonial Brick **Amber**



Colonial Brick **Keramos**



Colonial Brick **Vintage Red**



Colonial Brick **Khaki**



Colonial Brick **Ash Gray**



Colonial Brick **Corner**

|  | Flat                              | Corner                                     |
|--|-----------------------------------|--------------------------------------------|
|  | 45 mm                             | 43 - 48 mm                                 |
|  | 245-260mm                         | A side 120 - 133 mm<br>B side 250 - 260 mm |
|  | 25 - 35 mm                        | 25 - 35 mm                                 |
|  | 33 kg                             | 33 kg                                      |
|  | 1.11 m <sup>2</sup><br>per carton | 2 m<br>per carton                          |
|  | 24 cartons<br>per pallet          | 16 cartons<br>per pallet                   |



Colonial Brick  
**Amber**




Colonial Brick  
**Khaki**





Colonial Brick  
**Keramos**






Colonial Brick  
**Vintage Red**



Colonial Brick  
**Ash Gray**







Colonial Brick **Keramos**





Colonial Brick **Khaki**

**Brick** Stones

Colonial Brick **Keramos**















# Kerabrick<sup>S</sup>

The Kerabrick line was developed for those who prefer simple applications without compromising quality.

The color combinations offer unique warmth in the environment and at the same time cover the design recommendations of every architectural creation.

Kerabrick is the ideal solution for covering internal and external areas while combining esthetics, quality and technology.

The durability in high pollution environments, in extreme weather conditions, the water absorption, and the stability of its natural and chemical characteristics are only some of its characteristics.

-  Flat  
60 mm
-  240 mm
-  7,5 - 10 mm
-  24 kg
-  1.32 m² per carton
-  30 cartons per pallet



## Weather Conditions

Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.

## Kerabrick Collection




Kerabrick **White**



Kerabrick **Gray**



Kerabrick **Orange**



Kerabrick **Red**



Kerabrick **Black**




Scan to view more for Kerabrick



Kerabrick<sup>s</sup>  
**White**



Kerabrick<sup>s</sup>  
**Orange**









Kerabrick<sup>S</sup>  
Gray



Kerabrick<sup>S</sup>  
Black





Kerabrick **Red**



Brick Stones






338

# Mixed Stones patterns

Why limit your creativity? Mathios Stone offers versatile options that allow you to mix and match, enabling you to create the perfect pattern that reflects your unique style. The possibilities are endless! Explore our range of mixed proposals or let your creativity flow and bring your unique vision to life with our diverse range of stone options and customizable designs.



Mixed Stones  
**Tuscany + Orvilos + Fieldstone + Bretagne**



**Tuscany**



**Fieldstone**



**Orvilos**



**Bretagne**

Mixed Stones  
**Terra + Fieldstone**



**Terra**



**Fieldstone**





## Jewellery line Stones

Aristocracy  
Dynamism  
Cosmopolitan  
Dynasty  
Eclipse



# Jewellery line

As a luxury accent Mathios Stone Jewellery line bejewels your space and creates superb aesthetic result.

Each piece is delicately molded to reveal glossy tint, inimitable touch and exclusive design for interior spaces. From a modern city apartment to a classy villa and from retail spaces and restaurants to hotels, spa & health centers, the premium architectural stone veneers of Mathios Stone create deluxe design.



Scan to view more for Jewellery line



## Jewellery line Collection



Delos **Aristocracy**



Delos **Cosmopolitan**



Delos **Eclipse**



Delos **Dynasty**



Delos **Dynamism**



Dune **Aristocracy**



Dune **Cosmopolitan**



Dune **Eclipse**



Dune **Dynasty**



Dune **Dynamism**



Atlas **Aristocracy**



Atlas **Cosmopolitan**



Atlas **Eclipse**



Atlas **Dynasty**



Atlas **Dynamism**



Highland **Aristocracy**



Highland **Cosmopolitan**



Highland **Eclipse**



Highland **Dynasty**



Highland **Dynamism**



Masterbrick **Aristocracy**



Masterbrick **Cosmopolitan**



Masterbrick **Eclipse**



Masterbrick **Dynasty**



Masterbrick **Dynamism**





# Sustainable stone veneers

345

## Pavers

Estate

Country Club

Forest Whisper

Garden Step



# Pavers Estate

With gently rounded corners and in three nuances, Mathios Stone Paver Estate offers the rustic charm of a cobblestone paver blended with the clean surface of modern design.

-  Flat  
100 - 200 mm
-  100 - 300 mm
-  30 - 40 mm
-  280 kg
-  6 m<sup>2</sup>  
per box
-  1 box  
(114x65x65 cm)



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for Estate

## Estate Collection



Estate **Beige**



Estate **Earth**



Estate **Silver**



Estate **Rusty**







Estate  
**Silver**



Estate  
**Rusty**













# Pavers Country Club

Mahios Stone Country Club pavers resemble bricks and can be implemented in any particular order. Lay them horizontally or vertically or even add some twist by applying diagonal or herringbone design.

Country Club



**Weather Conditions**  
Applicable on Internal & External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more for Country Club

-  **Flat**  
110 mm
-  220 mm
-  30 - 40 mm
-  11 kg
-  0.25 m<sup>2</sup> per carton
-  60 cartons per pallet

## Country Club Collection



Country Club **Amber**



Country Club **Keramos**



Country Club **Red Tarnished**



Country Club **Silver**







Country Club  
**Red Tarnished**



Country Club  
**Amber**











Country Club **Red Tarnished**

Country Club **Amber**



Country Club **Amber**



Country Club **Keramos**



# Pavers

## Forest Whisper

Revamp your garden and create a fairytale path with Mathios Stone Forest Whisper, natural walkways made of concrete but looking like wooden logs. Enjoy the flexibility of placing the pavers directly on the ground without bothering about cutting, grinding or putting any special coating.

### Forest Whisper Collection



Forest Whisper **Wood Look**

|   |                                                                                                                                                                                |   |        |
|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|--------|
|   | Flat                                                                                                                                                                           |   | Flat   |
| ↕ | 350 mm                                                                                                                                                                         | ↕ | 550 mm |
| ↔ | 350 mm                                                                                                                                                                         | ↔ | 550 mm |
| ✱ | 50 mm                                                                                                                                                                          | ✱ | 50 mm  |
| ⊠ | 8 kg                                                                                                                                                                           | ⊠ | 18 kg  |
| ☔ | <b>Weather Conditions</b><br>Applicable on External spaces<br>Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water. |   |        |



Scan to view more for Forest Whisper





# Pavers

## Garden Step

Revamp your garden and create a fairytale path with Mathios Stone Garden Step, natural walkways made of concrete but looking like wooden logs. Enjoy the flexibility of placing the pavers directly on the ground without bothering about cutting, grinding or putting any special coating.

### Garden Step Collection



Garden Step **Natural Wood Look**



**Weather Conditions**  
Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Flat**  
230 mm



600 mm



40 mm



24 kg



1.66 m<sup>2</sup>  
per Box



48 Boxes  
per Pallet-




Scan to view more  
for Garden Step







Forest Whisper



Garden Step



# Accessories

Stone accessories such as wall caps, column caps, trim pieces, and hearthstones are indispensable elements in enhancing the beauty and performance of stone installations across various applications. Whether used in outdoor landscaping projects to accentuate garden walls and pathways, in exterior design to adorn building facades and entrances, or in interior design to embellish fireplaces and accent walls, these stone accessories play a vital role in elevating the overall quality and longevity of stone installations.

- 374 Column Cap
- 376 Water Table
- 378 Wall Cap
- 380 Hearthstone
- 382 Window Trim Vertical
- 384 Window Trim Vertical





# Accessories







## Column Cap

Column caps are architectural elements designed to provide a finishing touch to the top of columns or pillars. They serve both aesthetic and practical purposes, enhancing the appearance of the column while also protecting it from weathering and damage. Column caps can be produced in various colors to complement the tones of Mathios Stone collection ensuring a seamless integration with the rest of the architectural design.

Column Cap




Column Cap

|                                                                                       |                              |
|---------------------------------------------------------------------------------------|------------------------------|
| Flat                                                                                  |                              |
|  | 460 mm                       |
|  | 460 mm                       |
|  | 60-80 mm                     |
|  | -                            |
|  | - m <sup>2</sup><br>per pack |
|  | -                            |



Weather Conditions

Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for accessories





# Accessories

## Water Table

Water tables serve multiple important purposes, combining functionality with aesthetic appeal. They provide essential protection against water damage by helping redirect rainwater away from the building’s foundation. Particularly in regions with heavy rainfall or where buildings were susceptible to water damage and moisture, they prevent potential damage caused by water flowing down the walls. Mathios Stone Water Tables also offer a versatile solution for architectural design. By crafting them in the same color hue as other stone elements, such as walls or trim, they seamlessly integrate into the design, adding visual interest and coherence to the overall appearance.

Watertable



- Flat

↕

500 mm
- ↔

50-65 mm
- ✱

70 mm
- ✕


-
- ⌚

- m<sup>2</sup>  
per pack
- ⊠

-



**Weather Conditions**  
Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for accessories





# Accessories

## Wall Cap

Wall cap or capstone is a shielding and decorative feature placed on top of a wall. It protects the top of the wall from water penetration, weathering, and other forms of moisture damage. Similar to a water table, a wall cap helps divert rainwater away from the wall's surface. Usually, they are installed at the top of retaining walls, garden walls, parapet walls, or other vertical surfaces. Beyond their practical function, Mathios Stone wall caps are custom-designed to match the specific stone used in the construction of the wall. This ensures that they seamlessly blend with the overall architectural design and enhance the aesthetic appeal of the entire structure.

Wall Cap




|  | Flat                         | Flat                         | Flat                         | Flat                         |
|--|------------------------------|------------------------------|------------------------------|------------------------------|
|  | 500 mm                       | 500 mm                       | 550 mm                       | 515 mm                       |
|  | 350 mm                       | 450 mm                       | 350 mm                       | 600 mm                       |
|  | 50-70 mm                     | 60-80 mm                     | 50-70 mm                     | 80-100 mm                    |
|  | -                            | -                            | -                            | -                            |
|  | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack |
|  | -                            | -                            | -                            | -                            |



Weather Conditions

Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for accessories



# Accessories

## Hearthstone

Hearthstone forms the floor or the hearth of a fireplace. It serves both functional and aesthetic purposes, providing a durable and heat-resistant surface for the fireplace while also enhancing the visual appeal of the hearth area. Hearthstones by Mathios Stone can be crafted in assorted colors to complement various fireplace designs and enhance its appeal while adding charm and warmth to the room.


Hearthstone



- Flat
- 500 mm
- 500 mm
- 40 mm
- 
- m<sup>2</sup> per pack
- 



**Weather Conditions**  
Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



**Scan** to view more for accessories





# Accessories

## Window Trim Vertical

Vertical window trims are installed around the perimeter of a window, in general on the sides and run vertically from the top to the bottom. They add detail to the exterior of a building and help define the shape of the window creating a polished look. Window trims also help to seal and protect the edges of the window from moisture, drafts, and other weather-related issues. When they are properly installed, they can help prevent water infiltration and improve energy efficiency. Window trims also provide additional structural support for the window frame and surrounding wall. Mathios Stone Window Trims are customized to blend with the specific stone used in the construction of the building.


Window Trim Vertical



|                                                                                       | Corner                       | Corner                       |
|---------------------------------------------------------------------------------------|------------------------------|------------------------------|
|  | 620 mm                       | 270 / 170 mm                 |
|  | 150x150 mm                   | 150x150 mm                   |
|  | 30 mm                        | 30 mm                        |
|  | -                            | -                            |
|  | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack |
|  | -                            | -                            |



**Weather Conditions**  
Applicable on External spaces  
Resistant to: Extreme temperatures from -30 to +60 degrees Celsius, Frost, UV, Different humidity levels, Water.



Scan to view more for accessories





# Accessories

## Window Trim Horizontal

Horizontal window trims are the architectural elements that frame the top and bottom of a window in a horizontal orientation. Like vertical window trims, they provide structural support to the window and enhance its sealing improving energy efficiency. Mathos Stone Window Trims are specifically designed to seamlessly integrate with the overall stone design of the building.

### Window Trim Horizontal



Window Trim Horizontal  
Top




Window Trim Horizontal  
Bottom

|  | Top                          | Top                          | Bottom                       |
|--|------------------------------|------------------------------|------------------------------|
|  | 620 mm                       | 250/170 mm                   | 620 mm                       |
|  | 230x150 mm                   | 150x150 mm                   | 150x150 mm                   |
|  | 30 mm                        | 30 mm                        | 30 mm                        |
|  | -                            | -                            | -                            |
|  | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack | - m <sup>2</sup><br>per pack |
|  | -                            | -                            | -                            |



### Weather Conditions

Applicable on External spaces  
Resistant to: Extreme  
temperatures from  
-30 to +60 degrees Celsius,  
Frost, UV, Different humidity  
levels, Water.



Scan to view more  
for accessories



Window Trim Horizontal  
Top



Window Trim Horizontal  
Bottom



# Complementary Products

## EXTRASTONEGLUE

**Extra Stone Glue.**  
**The Right Adhesive for your Project.**

Before starting your stonework it is important to select the correct bedding adhesive to ensure efficient stone bond and high performance. Extra Stone Glue is a Special Acrylic heavy duty elastic adhesive especially composed for manufactured stone veneers & brick slips. It has high adhesive strength and is applicable on internal and external surfaces.

Additionally, its high durability to extreme temperature conditions (humid, heat or frost) make Extra Stone Glue the ideal choice regardless of the location and the installation surface.

*It is categorized as C2TES1 type according to EN 12002*



## MATPROTECT

**Mat Protect Plus.**  
**Protect your stonework**

Mat Protect is a silicon varnish protective treatment that safeguards the beauty of architectural stone veneer.

Designed to provide a highly effective ability to resist penetration by water, it is a colorless waterproofing treatment for exterior and interior, ready to be applied without any dilution, over the stones.

Due to its composition, it provides lower porosity which results in anti-freezing protection and tolerance in chlorine water. Mat Protect is recommended for buildings, water pools, floors, walls, and walkways close to the seaside and exposed to chlorine water and sea-spray.



## MATFIX<sup>50</sup>

**Mat Fix 50.**  
**Super Flex Acrylic Power**

MATFIX 50 is an elastic adhesive used for adhesion of tiles, natural/handmade stones, vitreous mosaics, clinker, porcelainized gres on highly demanded surfaces. It is applied on internal and external surfaces.





# MATHIOS<sup>®</sup> *Grout*

Create your own stonework with Mathios Grout, the ideal choice for Natural & Architectural Stone. Produced by high quality cement, new generation aggregates and reinforcing additives, Mathios Grout provides high mechanical strength and excellent workability. It is fully waterproof and easy to clean.

It offers possibility of filling joints from 10mm to 50mm and is suitable for application to both internal and external surfaces. It is available in 13 color shades, indelible in time and in two grain sizes. Combine them with the grout style you wish and see how you can recast your stone.



# Mathios Grout Collection



Off White



Antique Beige



Coral Sand



Cameo Beige



Colonial Ivory




Pastel Ivory



Brown Sugar



Mocca Brown



Ash Gray



Volcanic Gray



Olive Green




Terracotta




Dramatic Black

## Granulation



0-2 mm



0-4 mm

Picking your grout technique according to what you’re trying to achieve is as important as selecting the stone.

### Standard grouting style

The most common technique is to lay each stone one finger width apart from each other and grout between each stone. The grout is deeper than the face of the stone and exposes the stone edges. If the grout color pairs with the hues of the stone, this makes mostly the stone stand out. For contrasting design result pick up a bold color grout opposite of the stone color.

### Overgrout style

The mortar overfills the joints and overlaps the face of the stone. A very popular technique to achieve a rustic and authentic old-world look. It gives such a realistic result to the construction that it’s hard to believe it’s not centuries ago built. Ideal for irregular shaped stones and brickslips. It would also fit nice in an industrial design loft.

### Flat with the stone face grout style

The grout level is almost flat with the face of the stone. Similar to the standard grouting style but with more active role on the final design. Try to use different color grout and see how your stonework transforms. For a discreet and always in style look match the grout color with the dominant color shadings of the architectural stone. On the contrary, if you love impactful effect, select grout color opposite of the stone color. With light stone, use dark grout, and with dark stone use light grout.

Recast your stone  
**MATHIOS**  
*Grout*<sup>®</sup>

Scan to view more for Mathios Grout





## Packaging information

- All cartons are packed on pallets to ensure stability in transportation.
- For pavers & accessories that are not included in the list, information can be given upon request.
- Loading instructions are available.
- Scannable QR code on each carton for detailed information for every Mathios Stone color and texture.



| TYPE             | UNIPACK (BOX)      |             | UNIPACK DIMENSIONS | N° OF UNIPACKS ON PALLETS<br>DIMENSIONS OF PALLETS |                      | LOADING CAPACITY (UNIPACKS)** |               |       |
|------------------|--------------------|-------------|--------------------|----------------------------------------------------|----------------------|-------------------------------|---------------|-------|
|                  | CONTENT OF UNIPACK |             |                    | SMALL                                              | LARGE                | 20" CONTAINER                 | 40" CONTAINER | TRUCK |
|                  | FLAT (m²)          | CORNER (ml) |                    |                                                    |                      |                               |               |       |
| Colonial Bricks* | 1.11               | -           | 55x37x15 cm        | -                                                  | 24 x (110x80x105h) m | 672                           | 718           | 687   |
| Colonial Bricks* | -                  | 2           | 52x26x19.5 cm      | 16 x (110x80x75h)cm                                | -                    | 672                           | 718           | 687   |
| Masterbrick*     | 1.11               | -           | 45x26x15 cm        | -                                                  | 48 x (105x73x135h)cm | 1008                          | 1316          | 1261  |
| Masterbrick*     | -                  | 2.15        | 45x26x15 cm        | 24 x (105x73x75h)cm                                | -                    | 1008                          | 2154          | 2063  |
| Alamo            | 0.63               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 987           | 945   |
| Alamo            | -                  | 1.6         | 54x20x25 cm        | 21 x (110x80x90h)cm                                | -                    | 686                           | 1316          | 1261  |
| Veracruz*        | 0.72               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 987           | 945   |
| Highland         | 0.65               | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h)cm | 756                           | 987           | 945   |
| Highland         | -                  | 1.6         | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1185          | 1135  |
| Altaia           | 0.6                | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h) m | 756                           | 987           | 945   |
| Altaia           | -                  | 1.6         | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1185          | 1135  |
| Highland Blend   | 0.6                | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h)cm | 756                           | 987           | 945   |
| Highland Blend   | -                  | 1.6         | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1185          | 1135  |
| Mont Blanc*      | 0.53               | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h)cm | 756                           | 987           | 945   |
| Mont Blanc*      | -                  | 1.04        | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1185          | 1135  |
| Cordillera       | 0.76               | -           | 52x37x20.5 cm*     | -                                                  | 24 x (114x80x138h)cm | 504                           | 649           | 621   |
| Cordillera       | -                  | 2           | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1185          | 1135  |
| Sierra           | 1.05               | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h)cm | 756                           | 894           | 856   |
| Sierra           | -                  | 2.4         | 52x26x20.5 cm*     | 18 x (110x80x77h)cm                                | -                    | 756                           | 1281          | 1227  |
| Atlas            | 0.62               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 987           | 945   |

| TYPE             | UNIPACK (BOX)      |             | UNIPACK DIMENSIONS | N° OF UNIPACKS ON PALLETS<br>DIMENSIONS OF PALLETS |                      | LOADING CAPACITY (UNIPACKS)** |               |       |
|------------------|--------------------|-------------|--------------------|----------------------------------------------------|----------------------|-------------------------------|---------------|-------|
|                  | CONTENT OF UNIPACK |             |                    | SMALL                                              | LARGE                | 20" CONTAINER                 | 40" CONTAINER | TRUCK |
|                  | FLAT (m²)          | CORNER (ml) |                    |                                                    |                      |                               |               |       |
| Dune             | 1.06               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 877           | 840   |
| Delos            | 1.06               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 877           | 840   |
| Bretagne*        | 0.6                | -           | 52x26x19.5 cm      | -                                                  | 36 x (110x80x132h)cm | 756                           | 987           | 945   |
| Bretagne*        | -                  | 1.35        | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1077          | 1031  |
| Isola*           | 0.43               | -           | 52x26x19.5 cm      | -                                                  | 36 x (110x80x132h)cm | 756                           | 987           | 945   |
| Isola*           | -                  | 1.35        | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1030          | 986   |
| Tuscany*         | 0.61               | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Tuscany*         | -                  | 1.65        | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1077          | 1031  |
| Arcadian         | 0.65               | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Arcadian         | -                  | 1.1         | 55x37x15 cm        | 18 x (110x80x75h)cm                                | -                    | 756                           | 1077          | 1031  |
| Fieldstone*      | 0.55               | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Fieldstone*      | -                  | 1.35        | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1077          | 1031  |
| Ekali*           | 0.6                | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Ekali*           | -                  | 1.35        | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1077          | 1031  |
| Rio Grande*      | 0.62               | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Rio Grande*      | -                  | 1.6         | 55x37x15 cm        | 16 x (110x80x75h)cm                                | -                    | 672                           | 1077          | 1031  |
| Terra*           | 0.55               | -           | 55x37x15 cm        | -                                                  | 32 x (110x80x135h)cm | 672                           | 987           | 945   |
| Terra*           | -                  | 1.25        | 55x37x15 cm        | 12 x (110x80x60h)cm                                | -                    | 504                           | 1077          | 1031  |
| Alverstone       | 0.72               | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x80x138h)cm | 756                           | 948           | 908   |
| Valldemossa*     | 1                  | -           | 54x20x25.5 cm      | -                                                  | 28 x (108x78x120h)cm | 686                           | 987           | 945   |
| Valldemossa*     | -                  | 2.4         | 52x26x20.5 cm*     | 18 x (108x78x75h) cm                               | -                    | 686                           | 1481          | 1418  |
| Cervino*         | 1.15               | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h) m | 686                           | 948           | 908   |
| Cervino*         | -                  | 2.9         | 54x20x25 cm        | 21 x (110x80x90h)cm                                | -                    | 686                           | 1185          | 1135  |
| Isola Slim       | 1                  | -           | 54x20x25 cm        | -                                                  | 28 x (110x78x115h)cm | 686                           | 907           | 873   |
| Isola Slim       | -                  | 2.4         | 52x26x20.5 cm*     | 18 x (108x78x77h)cm                                | -                    | 756                           | 1281          | 1227  |
| Fieldstone Slim* | 1.1                | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 1030          | 987   |
| Fieldstone Slim* | -                  | 2.9         | 54x20x25 cm        | 21 Unipacks                                        |                      | 686                           | 1185          | 1135  |
| Aragon*          | 1.3                | -           | 54x20x25 cm        | -                                                  | 28 x (110x80x115h)cm | 686                           | 948           | 908   |
| Aragon*          | -                  | 2.9         | 54x20x25 cm        | 21 x (110x80x90h)cm                                | -                    | 686                           | 1185          | 1135  |
| Armorique*       | 1.15               | -           | 54x20x25 cm        | -                                                  | 28 x (110x78x115h)cm | 686                           | 948           | 908   |
| Armorique*       | -                  | 2.8         |                    |                                                    |                      |                               |               |       |
| Vermont          | 0.65               | -           | 52x26x20.5 cm*     | -                                                  | 36 x (110x78x138h)cm | 756                           | 987           | 945   |
| Orvilos          | 0.8                | -           | 56x26x20.5 cm      | 20 x (110x80x77h)cm                                | -                    | 504                           | 592           | 567   |
| Orvilos          | -                  | 1.6         | 56x26x20.5 cm      | -                                                  | 20 x (110x80x77h)cm  | 504                           | 640           | 613   |
| Tivoli           | 0.79               |             | 54x20x25 cm        |                                                    | 28 x (110x80x115h)cm | 686                           | 740           | 709   |
| Tivoli           | -                  | 3           | 54x20x25 cm        | 21 x (110x80x90h)cm                                | -                    | 686                           | 948           | 908   |
| Kerabrick*       | 1.32               | -           | 45x26x15 cm        | -                                                  | 48 x (105x73x135h)cm | 987                           | 1008          | 945   |

\*The contents of the packing assume a joint of 1cm (0.40in)

\*\*Loading capacity depends on the legislation of each country



# Installation Instructions - Step by Step Guide



Stone application with joints

Scan to view the Mathios Stone installation instructions.





Disclaimer - Haftungsausschluss - Avis de non-responsabilité - Advertencia

Disconoscimento - Αποποίηση Ευθυνών - Отказ от претензии - التحفظات

**EN**  
The product colors and textures shown in this brochure are as accurate as current photography and printing techniques allow. We strongly recommend looking at product samples before ordering. Mathios Refractories S.A. reserves the right to make product improvements without prior notification.

Reproduction of this catalogue and its contents is subject to written permission by Mathios Refractories S.A.

**GER**  
Sowohl die Farben, als auch die Beschaffenheit der in diesem Katalog abgebildeten Produkte sind so genau abgebildet, wie es die aktuellen technischen Fotografie- und Druckverfahren erlauben. Wir empfehlen dringend, sich die Produktmuster vor dem Kauf anzusehen. Die Firmengesellschaft Mathios Refractories S.A. behält sich das Recht vor, Produktverbesserungen ohne Vorankündigung vorzunehmen.

Nachdruck und Vervielfältigung dieses Kataloges und seiner Inhalte sind nur mit einer schriftlichen Einverständniserklärung der Mathios Refractories S.A. zulässig.

**FR**  
Les couleurs et les textures du produit présentées dans cette brochure sont aussi précises que les techniques actuelles de photographie et d'impression les permettent. Nous vous recommandons fortement de revoir les échantillons de produits avant de les commander. Mathios Refractories S.A. se réserve le droit d'apporter des améliorations au produit sans notification préalable.

La reproduction de ce catalogue et de son contenu sont soumis à l'autorisation écrite de Mathios Refractories S.A.

**ES**  
Los colores y las texturas del producto que se muestran en este catálogo son tan precisos como lo permiten la fotografía actual y las técnicas de impresión. Recomendamos mirar las muestras de productos antes de realizar el pedido. MathiosRefractories S.A. se reserva el derecho de realizar productos mejores en los productos sin notificación previa.

La reproducción de este catálogo y su contenido está sujeto a una autorización por escrito de MathiosRefractories S.A.

**IT**  
I colori e le strutture dei prodotti mostrati in questa brochure sono accurati come le attuali fotografie e quanto permesso dalle tecniche di stampa. Si consiglia fermamente di esaminare i campioni del prodotto prima di ordinare. Mathios Refractories S.A. si riserva il diritto di apportare miglioramenti senza preavviso.

La riproduzione di questo catalogo e dei suoi contenuti è soggetta all'autorizzazione scritta di Mathios Refractories S.A.

**GRE**  
Τα χρώματα και οι υφές των προϊόντων που παρουσιάζονται σε αυτό τον κατάλογο είναι τόσο ακριβείς όσο επιτρέπουν οι τρέχουσες τεχνικές φωτογραφίας και εκτύπωσης. Συνιστούμε ανεπιφύλακτα να εξετάζετε δείγματα προϊόντων πριν από την παραγγελία. Η Μαθιός Πυρίμαχα Α.Ε. διατηρεί το δικαίωμα να προβεί σε βελτιώσεις προϊόντων χωρίς προηγούμενη ειδοποίηση.

Η αναπαραγωγή αυτού του καταλόγου και του περιεχομένου του υπόκειται στην έγγραφη άδεια της Μαθιός Πυρίμαχα Α.Ε.

**BU**  
Цветовете и структурата на продуктите, показани в тази брошура, са максимално близки до това, което фотографията и печатните техники позволяват при отразяване на действителния продукт. Препоръчваме Ви да разгледате мостри от продукта преди да направите поръчка. „МатиосРефракторис“ АД си запазва правото да прави подобрения по продуктите без предварително уведомление.

За възпроизвеждане на каталога и неговото съдържание се изисква писменото одобрение на „МатиосРефракторис“ АД.

**AR**  
تأثير اللون ولمس الحجر في هذا الكتالوج يخضع لمخرجات وطرق الإظهار لآلات التصوير والطباعة المتاحة ... لذا ننصح بضرورة رؤية عينة الحجر على الطبيعة للتأكد أنه يتوافق مع اختياركم.

نؤكد أن شركة ماثيوس تتحرى الأطلح للوصول إلى منتج أفضل دون أي ملاحظات.

نسخ وطباعة هذا الكتالوج ومحتوياته يخضع لإذن كتابي من شركة ماثيوس.



# Why Mathios Stone



Scan to  
view more

Applicable on **Internal**  
& **External** spaces

**Easy  
installation**

**Quick installation:**  
pre-cut pieces in  
assorted sizes, ready-  
to-use. It comes with  
corners & accessories.

Worldwide  
knowhow &  
Expertise

Lightweight (up to **50%**  
**lighter** than natural stone)

**Manufactured**  
by a healthy and  
sustainable company

Can even work as a **DIY product**

**MATHIOS**stone®

**Easily produced**  
in large quantities

**Quality secured**  
with official  
worldwide known  
Certifications

**Uncompromised:**  
In case of replacement  
or expansion, you can  
find the exact same  
hues of the initially use  
stones.

Installation  
flexibility:  
**applicable on  
all surfaces**

on **etics**, on **gypsum board**)  
(and even on **glass**)

**Personal  
Relationship  
Manager** for  
Each Distributor

It comes with  
**corners** and  
**accessories**

**After Sales  
Service**

**Eco-friendly**

**Continuous  
Support**

**Marketing  
Materials  
& support**

**Time &  
Cost Efficient**

Suitable for all  
**weather condition**

**Resistant to:** Extreme temperatures from  
-30 °C to +60 °C, Frost, UV, Different humidity  
levels, Water, Fungus, Strong Winds

**An extensive  
selection:**  
**>150 colors**  
and **textures**  
combinations.  
Additional  
colors  
& textures  
on demand


**Easier to  
install** and  
tackle a big  
project

**Transferred  
in boxes**  
of approx. 25kg




# Certifications - Warranty

CERTIFICATE



Management System as per  
EN ISO 9001 : 2015

In accordance with TÜV AUSTRIA procedures, it is hereby certified that

**MATHIOS  
REFRACTORIES S.A.**


**MATHIOS REFRATORIES S.A.**  
Headquarters: 5, Epidavrou Str., GR-182 33 AG. IOANNIS RENTIS, ATHENS, GREECE  
Factory 1: 16<sup>th</sup> Km. O.N.R. Chalkida – Athens, GR-341 00 AVLIDA, CHALKIDA, GREECE  
Factory 2 - Mathios AD: 9, Nikola Malashevski Str., 2600 DUPNICA, BULGARIA

Applies a Quality Management System in line with the above Standard for the following Scope

**RESEARCH, DEVELOPMENT, PRODUCTION AND TRADING OF  
REFRACTORY, ANTI-ACID, INSULATING, BUILDING CHEMISTRY  
CONSTRUCTION MATERIALS AND PRODUCTION OF STONE VENEERS.  
REFRACTORY, ANTI-ACID AND BUILDING CONSTRUCTIONS.**


Certificate Registration No.: **011610005343**


Valid until: 2027-09-15  
Initial certification: 2010-06-02


  
Maria Agapitou  
Head of Management Systems & Products Certification Division  
Certification Body  
at TÜV AUSTRIA

Athens, 2024-11-13

This certification was conducted in accordance with TÜV AUSTRIA auditing and certification procedures and is subject to regular surveillance audits.


  
TÜV AUSTRIA HELLAS  
429, Mesogeion Ave.  
GR-153 43 Athens, Greece  
www.tuvaustriahellas.gr  
GEMI No: 1650201000


  
MS Certification  
No. of Certificate 234


  
CAPRACE\_A1a

Headquarters in Athens bear the responsibility of the Certification decision

ZERTIFIKAT | CERTIFICATE | CERTIFICADO | CERTIFIKAT | 證書 | 인증서





**MATHIOS  
REFRACTORIES S.A.**

**30** YEAR LIMITED  
*warranty*


Mathios Refractories S.A. warrants that for a period of 30 years from the date of the original purchase, its products will be free from defects in material, shape, color and workmanship, provided that they are used on structures conforming to the regulations being locally in force and that they are assembled into structures in conformity with the Mathios Refractories instructions.


For a valid 30 years limited warranty please strictly follow the installation instructions provided in each carton box with Mathios stone products or visit our you tube channel for visual material regarding proper installation method.


Mathios Refractories will free of charge repair or as the case may be supply of new products to replace the defective. This warranty is limited to the said repair or supply of new products to replace the defective ones and does not cover any costs, whatsoever, incurred in relation with the assembly of the products into structure, like indicatively labor costs incurred in removal and replacement of defective products. This warranty does not as well cover damage caused by the structure itself or the construction or eventual repair of the building or the other wall movement, contact with chemicals or paint, discoloration due to airborne contaminants, staining or oxidation or foot traffic.

Mathios Refractories is only liable to the original purchase. This warranty cannot be transferred to any subsequent owner.

This written warranty represents the entire warranty agreement between Mathios Refractories and you. This warranty may not be altered in any way other in writing by an officer of Mathios Refractories duly therefore authorized.


  
TÜV AUSTRIA  
No. 20 100 0087


  
TÜV AUSTRIA  
No. 20 100 0087


  
TÜV AUSTRIA  
No. 20 100 0087

**MATHIOS  
REFRACTORIES S.A.**

5 Epidavrou str., 182 33 Rentis,  
Athens, Greece  
Tel: +30 210 4913103  
Fax: +30 210 49 63 049  
www.mathios.com  
e-mail: expert@mathios.gr  
mathios@mathios.gr





**Eco Sign**  
A+  
A+ A B C  
INDOOR  
EMISSIONS

No Harmful Substances for Humans & the Environment. A+ classified in terms of volatile organic compounds (VOC) which means a low chemical footprint in the atmosphere and air quality inside a building.

MATHIOSstone®





Επιδαύρου 5, 182 33 Αγ.Ι.Πέντης  
Τ 216 07 09 199  
Τ 210 49 13 502  
E mathios@mathios.com  
www.mathios.com



5 Epidavrou Str., 182 33  
Athens, Greece  
Τ +30 216 07 09 199  
E mathiosexport@mathios.com  
www.mathios.com



Nikola Malashevski 9  
2600 Dupnica, Bulgaria  
Τ +35 987 884 4413  
E mathiosad@mathios.com  
www.mathios.com

Distributor:

